Subject Index to Volume 64

A

Acetylcholine receptors: *see* Receptors, cholinergic
Acyl coenzyme A
role in brown fat thermogenesis, 33–36
Adaptation, physiological
adaptive response of brown fat for thermogenesis, 40–52
animal models of obesity, 49–51
diet-induced thermogenesis, 47–49
hibernation, 51
thermogenic capacity of brown fat during perinatal development and correlation with 32,000-M_r protein of mitochondria, 40–43
thermogenic capacity of brown fat from adult warm- and cold-adapted animals and correlation with 32,000-M_r protein, 43–47
control of adaptive response of brown fat for thermogenesis, 52–56
central regulation, 55–56
insulin, 54
pituitary hormones, 55
sympathetic stimulation, 52–53
thyroid hormones, 53–54
Adenosine cyclic monophosphate
activity in perfused neurons and its relation to membrane phenomena, 448–450
and calcium messenger system, 970–976
effects on branches of messenger system, 972–974
general relationships, 970–972
mediation of gain control in messenger system, 974–976
cyclic AMP-dependent protein kinases in acute thermogenic response in brown fat, 20–21
role as second messenger in actions of parathyroid hormone, 1017–1018, 1021
on bone, 1021
on kidney, 1017–1018
role in acute thermogenic response in brown fat, 20
Adenosine diphosphate
activation of Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1277–1278
Adenosine monophosphate
activation of Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1277–1278
Adenosine triphosphatase
activity of T tubules and surface membranes in excitation-contraction coupling, 1266–1268
ATPase-ATPase interactions in sarcoplasmic reticulum, 1257
Ca^{2+}-ATPase partial reactions associated with Ca^{2+} fluxes in sarcoplasmic reticulum, 1274–1275
Ca^{2+}-transport ATPase of sarcoplasmic reticulum, structure of, 1244–1254
interaction sites in sarcoplasmic reticulum, characterization of, 1257–1260
bond involved in formation of Ca^{2+}-ATPase dimers (site A), 1258–1259
crystallization of Ca^{2+}-ATPase by lanthanide ions, 1260
formation of crystal lattice (site C), 1259–1260
formation of dimer chains (site B), 1259
Na^+-K^+-ATPase and bile salt-independent canalicular bile flow, 1092
Adenosine triphosphate
accelerated turnover in one type of cellular thermogenic mechanism, 5–9
activation of Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1277–1278
in adrenal medullary chromaffin cells in culture, 1135
Adenyl cyclase
receptor-adenylate cyclase-nucleotide regulatory protein model of action of parathyroid hormone on target organs, 1018–1020
role in acute thermogenic response in brown fat, 20

Adipose tissue
see also Brown fat
β-adrenergic receptors in, effect of age and growth on, 731–732
fat cells, binding kinetics of insulin receptors in, 1331–1333
Adrenal cortex hormones
see also Glucocorticoids
effects on morphology of adrenal medullary chromaffin cells in vitro, 1129–1131
role in regulation of β-adrenergic receptors, 710–714
Adrenal medulla
chromaffin cells in vitro, 1103–1161
acetylcholinesterase in, 1136–1138
actomyosin-like proteins in, 1135–1136
ATP in, 1135
biochemical characteristics, 1132–1141
catecholamine content and synthesis, 1132–1133
chromogranins and dopamine β-hydroxylase in, 1133–1134
clathrin, synexin, tubulin, and calmodulin in, 1136
cytoskeletal elements, 1135–1136
effects of growth and survival factors other than nerve growth factor, 1131–1132
effects of nerve growth factor and corticosteroids, 1129–1131
enkephalins and dynorphins in, 1134–1135, 1140–1141
functional studies of, 1141–1150
isolation of single cells by enzymatic digestion, 1104–1109
"leaky" and "skinned" cells, 1118–1120
methods for maintaining cells in culture, 1120–1126
monolayer cultures, 1120–1125
morphological characteristics of primary monolayer cultures, 1126–1129
morphological characteristics of suspension cultures, 1129
neuropeptides in, 1138–1141
neurotensin in, 1138–1139
other treatments for purification of isolated cells, 1117–1118
physiological implications and significance of studies of, 1150–1151
purification by differential plating, 1114–1117
purification by isopycnic centrifugation, 1109–1114
purification of isolated cells, 1109–1120
secretion from, biochemical and pharmacological studies, 1141–1143
secretion from, mechanisms, 1143–1148
secretion from, modulation of, 1147–1150
somatostatin in, 1139
storage of isolated cells, 1114
substance P in, 1138
suspension cultures, 1125–1126
vasoactive intestinal polypeptide in, 1139
Adrenergic α-receptor agonists
role in regulation of hepatic gluconeogenesis, 207–220
Adrenergic α-receptors: *see* Receptors, adrenergic, α –
Adrenergic β-receptors: *see* Receptors, adrenergic, β –
Affinity labels
labeling of β-adrenergic receptors, 685–688
labeling of ligand-binding sites for *Torpedo* acetylcholine receptors, 1181–1186
acetylcholine-binding sites, 1181–1184
binding sites for noncompetitive blockers, 1185–1186
Aging
effect on β-adrenergic receptors in various organs and tissues, 729–734
adipose tissue, 731–732
heart, 730–731
human leukocytes, 732–733
lung, 729–730
miscellaneous tissues, 734
muscle cells, 732
rat reticulocyte-erythrocyte system, 733–734
Alcohol, ethyl
effects on β-adrenergic receptors, 725–727
Amino acid sequence
of insulin and structure-function relationship, 1349–1360
cooperative regions, 1357–1358
growth active region, 1358–1360
insulin analogues, 1349–1350
metabolically active region, 1356–1357
receptor-binding region, 1350–1356
of *Torpedo* acetylcholine receptor subunits, use in deducing their topography, 1187–1196
Amphibia
slow muscle in, 104–131
Anesthetics
effect on Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1279–1280

Angiotensin II
role in regulation of hepatic gluconeogenesis, 176, 220–227
cytoplasmic steps, 223
effects on ions, 223–226
mitochondrial effect, 222–223
Anoxia
hypoxia of myocardium, role in regulation of β-adrenergic receptors, 721–722
hypoxia, role in specific pulmonary vasomotor mechanisms, 575–587
Asthma
role in regulation of β-adrenergic receptors, 722–725
ATP: *see* Adenosine triphosphate
ATPase: *see* Adenosine triphosphatase
Axons
axotomy of postsynaptic neurons in spinal cord, reaction of, 270–277
axonal conduction velocity, 274
cell death, 275
excitability, 270–271
motoneuron afterhyperpolarization, 274
reinnervation of muscle, 274–275
role of axon collaterals, 275
synaptic transmission, 271–274
trophic interactions, 275–277
axotomy of sensory fibers in spinal cord, reaction of, 277–281
central action of afferent fibers cut in dorsal root, 281
central connections when peripheral nerves are misrouted in periphery, 280–281
central synaptic changes evoked by cut afferent fibers, 278–279
conduction velocity, 277
synaptic changes on terminals of cut peripheral fibers, 279–280
transection of dorsal column branch, 281

B

Baroreceptors: *see* Pressoreceptors
Bicarbonates
and bile salt-independent bile flow, 1093–1094
CO_2/HCO_3 inducing Ca^{2+} release from sarcoplasmic reticulum, 1303
transport of, involvement in choleretic effects of ursodeoxycholate and 7-ketolithocholate, 1095
Bile
bile salt-dependent bile flow, 1058–1061
bile salt-independent bile flow, 1058–1061, 1092–1095
bicarbonate and, 1093–1094
cation-anion gap and choleretic properties of bile, 1094–1095
choleretic effects of ursodeoxycholate and 7-ketolithocholate and involvement of bicarbonate transport, 1095
Na^+-K^+-ATPase and, 1092
composition of, 1057–1058
hepatic bile flow, 1055–1102
metabolites of calcitriol in, nature of, 485–488
Bile acids and salts
bile salt-dependent bile flow, 1058–1061
bile salt-independent bile flow, 1058–1061, 1092–1095
distribution in blood in relation to enterohepatic circulation, 1061–1063
hepatic uptake of bile salts from blood, 1064–1077
albumin-binding sites in hepatocyte membrane, 1069–1071
interaction of bile salts with membrane receptors, 1074–1077
lobular uptake, 1064–1067
secondary active transport, 1071–1074
uptake from blood, 1067–1069
structure of, 1057–1058
transport across canalicular membrane, 1088–1092
paracellular pathway, 1090–1092
role of microfilament and microtubular systems, 1088–1090
transport across hepatocyte, 1077–1088
distribution of bile salts in cell, 1077–1080
interaction of bile salts with cytosolic proteins, 1080–1085
interaction of bile salts with subcellular organelles, 1085–1088
Binding sites
β-adrenergic receptor ligand-binding site, nature of, 688–692
albumin-binding sites in hepatocyte membrane and relation to hepatic uptake of bile salts from blood, 1069–1071
ligand-binding sites for *Torpedo* acetylcholine receptors, 1181–1186
acetylcholine-binding sites, 1181–1184

Binding sites (*continued*)
binding sites for noncompetitive blockers, 1185–1186
α-toxin-binding sites on acetylcholine receptors, location of, 1218–1219
Biological transport
of bile salts across canalicular membrane, 1088–1092
of bile salts across hepatocyte, 1077–1088
Biological transport, active
measurements of kinetic parameters during, effects of unstirred layers on, 782–786
mitochondrial Ca^{2+} transport in regulation of cytoplasmic Ca^{2+} concentration, 1242
secondary active transport of bile salts into hepatocytes, 1071–1074
Birds
slow muscle in, 141–147
Blood circulation
see also Cerebrovascular circulation; Coronary circulation; Liver circulation; Microcirculation; Pulmonary circulation; Renal circulation; Splanchnic circulation
distribution of blood flow in essential hypertension, 645–646
forearm and calf blood flows in essential hypertension, 642–644
skin circulation in hand and foot in essential hypertension, 644
Blood pressure
see also Hypertension; Hypertension, essential
in large and small vessels of pulmonary vascular bed, direct measurement of, 550–552
variations in normal subjects, 629–632
during sleep, 629–630
effects of changing posture, 630–631
effects of cold-pressor test, 632
effects of mental stress, 631
effects of Valsalva maneuver, 631–632
spontaneous changes, 629
Blood volume
see also Plasma volume
cardiopulmonary blood volume in essential hypertension, 624–625
Body temperature regulation
acute thermogenesis in brown fat, other cellular processes associated with, 23–29
fatty acid synthesis, lipogenesis, and insulin action, 26–29
plasma membrane depolarization, 24–26
α-receptor, 23–24
acute thermogenic response in brown fat at mitochondrial level, 29–40
cytosolic messenger, 29–30
fatty acids and fatty acyl-CoA, 33–36
increased cytosolic pH, 32
is 32,000-M_r protein a prerequisite? 38–39
postulated sequence of events, 40
regulation of mitochondrial proton conductance by cytosolic purine nucleotides, 30–32
relation between fatty acid uncoupling and 32,000-M_r protein of mitochondria, 37–38
acute thermogenic response in brown fat, mechanisms at cellular and mitochondrial levels, 16–23
adenylate cyclase and cyclic AMP, 20
β-receptor, 19–20
cyclic AMP-dependent protein kinases, 20–21
fatty acid activation and oxidation, 22
intramitochondrial metabolism of fatty acids, 22–23
lipolysis, 21
peroxisomal fatty acid oxidation, 22
respiratory response of brown fat cell, 16–19
cellular thermogenesis, principles of, 3–16
accelerated ATP turnover, 5–9
chloride permeability of brown fat mitochondria, 13
enhanced mitochondrial proton permeability, 9–13
mitochondrial nucleotide-binding protein, 13–16
modified respiratory chains, 5
respiratory control, 3–5
thermogenesis in brown fat, adaptive response for, 40–52
animal models of obesity; 49–51
diet-induced thermogenesis, 47–49
hibernation, 51
thermogenic capacity of brown fat during perinatal development and correlation with 32,000-M_r protein of mitochondria, 40–43
thermogenic capacity of brown fat from adult warm- and cold-adapted animals and correlation with 32,000-M_r protein, 43–47
thermogenesis in brown fat, control of adaptive response for, 52–56

central regulation, 55–56
insulin, 54
pituitary hormones, 55
sympathetic stimulation, 52–53
thyroid hormones, 53–54
thermogenic mechanisms in brown fat, 1–64
Bone
effects of parathyroid hormone on, 1020–1023
cytosol factor, 1022
intracellular Ca^{2+} as second messenger and possible role of calmodulin, 1021–1022
modulation of receptor number, 1022–1023
phosphorylation of intracellular proteins by protein kinases, 1022
role of cyclic AMP as second messenger, 1021
Brain
see also Hypothalamus; Visual cortex
insulin receptors in, 1348–1349
Brown fat
acute thermogenesis in, other cellular processes associated with, 23–29
α-receptor, 23–24
fatty acid synthesis, lipogenesis, and insulin action, 26–29
plasma membrane depolarization, 24–26
acute thermogenic response at mitochondrial level, 29–40
cytosolic messenger, 29–30
fatty acids and fatty acyl-CoA, 33–36
increased cytosolic pH, 32
is 32,000-*M*, protein a prerequisite? 38–39
postulated sequence of events, 40
regulation of mitochondrial proton conductance by cytosolic purine nucleotides, 30–32
relation between fatty acid uncoupling and 32,000-*M*, protein of mitochondria, 37–38
acute thermogenic response in, mechanisms at cellular and mitochondrial levels, 16–23
adenylate cyclase and cyclic AMP, 20
β-receptor, 19–20
cyclic AMP-dependent protein kinases, 20–21
fatty acid activation and oxidation, 22
intramitochondrial metabolism of fatty acids, 22–23
lipolysis, 21
peroxisomal fatty acid oxidation, 22
respiratory response of brown fat cell, 16–19
thermogenesis in, adaptive response for, 40–52
animal models of obesity, 49–51
diet-induced thermogenesis, 47–49
hibernation, 51
thermogenic capacity of brown fat during perinatal development and correlation with 32,000-*M*, protein of mitochondria, 40–43
thermogenic capacity of brown fat from adult warm- and cold-adapted animals and correlation with 32,000-*M*, protein, 43–47
thermogenesis in, control of adaptive response for, 52–56
central regulation, 55–56
insulin, 54
pituitary hormones, 55
sympathetic stimulation, 52–53
thyroid hormones, 53–54
thermogenic mechanisms in, 1–64
chloride permeability of brown fat mitochondria, 13
mitochondrial nucleotide-binding protein, 13–16

C

Caffeine
effect on Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1279
Calcitriol
metabolic pathways of, regulation of, 495–497
C-24 oxidation, 496
hepatic metabolism, 496
regulation of calcitriol-26,23-lactone formation, 496
regulation of 24-hydroxylation, 496
regulation of 26-hydroxylation, 497
regulation of side-chain oxidation, 495–496
whole-animal studies, 495
metabolism of, 478–504
biological role of glucuronides and sulfates of calcitriol, 488–489
C-24 oxidation of, 489
clearance experiments in humans, 490–492
enterohepatic physiology of calcitriol in normal humans, 492–493

Calcitriol (*continued*)
formation of calcitriol-26,23-lactone, 489–490
formation of 1,24,25-trihydroxyvitamin D_3 in animals, 483–484
formation of 1,24,25-trihydroxyvitamin D_3 in normal humans, 493–494
formation of 1,25,26-trihydroxyvitamin D_3, 490
hepatic metabolism and enterohepatic recycling, 484–485
in experimental animals, 481–490
in normal humans, 490–495
nature of its biliary metabolites, 485–488
pathophysiological implications, 497
side-chain oxidation in animals, 481–483
side-chain oxidation in humans, 494–495
whole-animal experiments, 481

Calcium
calcium messenger system, 938–984
Ca^{2+}-activated protein kinase, 944–945
Ca^{2+} cycling across plasma membrane during sustained cellular response, 967–970
Ca^{2+} metabolism in activated cell, 956–960
Ca^{2+} receptor protein, 940–945
cellular Ca^{2+} metabolism, 945–956
cyclic AMP and branches of, 972–974
cyclic AMP–mediated gain control in, 974–976
gain control in, 962–967
general relationships of cyclic AMP and, 970–972
initial biochemical events in, 960–962
role of C-kinase in gain control, 962–967
role of hysteresis in gain control, 962
cellular metabolism of, 945–956
cytosolic free Ca^{2+} and its measurement, 948–950
mitochondrial Ca^{2+} exchange: process and function, 950–956
role of intracellular membranes, 947–948
role of plasma membrane, 946–947
cytoplasmic concentration of, regulation of, 1241–1243
Ca^{2+} pump of endoplasmic reticulum, 1242
Ca^{2+} pumps of cell surface membranes, 1241
cellular Ca^{2+} homeostasis, 1242–1243
mitochondrial Ca^{2+} transport, 1242
in excitation-contraction coupling, 1260–1269
Ca^{2+} transport and ATPase activities of T tubules and surface membranes, 1266–1268
isolation and characterization of components of T tubule–sarcoplasmic reticulum junctions, 1262–1266
mechanisms of signal transmission, 1261
nitrendipine receptors in T tubules of skeletal muscle, 1268–1269
structure of T tubule–sarcoplasmic reticulum junctions, 1261–1262
intracellular Ca^{2+} as second messenger in action of parathyroid hormone on bone, 1021–1022
metabolism in activated cell, model study, 956–960
metabolism in liver in regulation of pathway of gluconeogenesis, 182–183
release from sarcoplasmic reticulum (SR) of skeletal muscle, mechanisms of, 1240–1320
Ca^{2+} fluxes associated with partial reactions of Ca^{2+}-ATPase, 1274–1275
Ca^{2+}-induced Ca^{2+} release, 1275–1290
characterization of interaction sites, 1257–1260
effect of dantrolene on, 1299–1300
effect of osmotic swelling on, 1292–1293
induction by CO_2/HCO_3, 1303
induction by miscellaneous agents, 1305–1306
induction by pH changes, 1300–1303
induction by SH group reagents, 1303–1305
influence of membrane potential of SR on, 1293–1297
mechanism of active Ca^{2+} transport by SR, 1254–1256
passive Ca^{2+} permeability of SR, 1270–1273
protein-protein interactions in SR, 1257
release induced by ion substitution, 1290–1298
requirement for phospholipids, 1256–1257
reversal of Ca^{2+} pump, 1273–1274
spontaneous Ca^{2+} release, 1288–1290
structure of Ca^{2+}-transport ATPase of SR, 1244–1254
role in control of parathyroid hormone secretion, 994–998
Calcium-binding proteins
see also Calmodulin
amplitude versus sensitivity modulation by, 943–944

hysteresis in Ca^{2+}-regulated enzymes, 942

Calcium channel blockers
nitrendipine receptors in T tubules of skeletal muscle, 1268–1269

Calcium channels: *see* Ion channels

Calmodulin
in adrenal medullary chromaffin cells in culture, 1136
possible role in action of parathyroid hormone on bone, 1021–1022
reaction sequences in response elements, 940–942
types of reactions controlled by, 942–943

Cancer: *see* Neoplasms

Carbon dioxide
see also Hypercapnia
CO_2/HCO_3 inducing Ca^{2+} release from sarcoplasmic reticulum, 1303
removal from blood, effects of high-frequency ventilation on, 530–535

Cardiac hypertrophy: *see* Heart enlargement

Cardiac output
in essential hypertension at rest, 618–620

Cardiovascular system
see also Heart; Vasomotor system; Veins
effects of leukotrienes on, 754–756

β-Carotene
metabolism of, 874–878
absorption, 876–877
cleavage, 877–878

Catecholamines
see also Epinephrine; Isoproterenol; Norepinephrine
content and biosynthesis in adrenal medullary chromaffin cells in culture, 1132–1133
effects on ion fluxes in liver in hepatic gluconeogenesis, 215–219
role in control of parathyroid hormone secretion, 999–1001

Cell differentiation
vitamin A function in, action through cell nucleus, 916–921

Cell membrane
see also Intercellular junctions
action of vitamin A on, 921–926
Ca^{2+} cycling across plasma membrane during sustained cellular response, 967–970
Ca^{2+} pumps of, role in regulation of cytoplasmic Ca^{2+} concentration, 1241
electrical properties in slow muscle fibers of amphibians, 113–115
glycosylation of, function of vitamin A in, 926–931
membrane currents of nerve cells, effects of intracellular perfusion on, 435–454
electric measurements of perfused cells, 439
enzymatic activity in perfused neurons and its relation to membrane phenomena, 448–450
properties of ionic channels, 439–448
of brown fat, depolarization in process of acute thermogenesis, 24–26
of smooth muscles in relation to force generation, 465–474
force transmission across cell membrane, 467
force transmission from cell membrane to stroma, 470–471
force transmission from contractile apparatus to cell membrane, 465–466
intermediate junctions, 466–467
outer surface of cell membrane, 469–470
role in cellular Ca^{2+} metabolism, 946–947

Cell nucleus
vitamin A action on, function in cell differentiation, 916–921

Cells, cultured
adrenal medullary chromaffin cells, 1103–1161
biochemical characteristics, 1132–1141
functional studies, 1141–1150
methods for isolating single cells, 1104–1120
methods for maintaining cells, 1120–1126
morphological characteristics, 1126–1129
morphological effects of growth factors and corticosteroids, 1129–1132
physiological implications and significance of in vitro studies, 1150–1151
human IM-9 lymphocytes in studies of insulin receptors, 1333

Cerebrovascular circulation
in essential hypertension, 641–642

Chemoreceptors
role in control of blood pressure, 633–634

Chlorides
permeability of brown fat mitochondria, 13

Cholagogues and choleretics
choleretic properties of bile and cation-anion gap, 1094–1095
ursodeoxycholate and 7-ketolithocholate,

Cholagogues and choleretics (*continued*)
choleretic effects and involvement of bicarbonate transport, 1095
Cholecalciferol
see also Calcitriol; 24,25-Dihydroxycholecalciferol; 1,24,25-Trihydroxyvitamin D_3; 1,25,26-Trihydroxyvitamin D_3
metabolism and action of, 478–480
Chromaffin system
adrenal medullary chromaffin cells in vitro, 1103–1161
acetylcholinesterase in, 1136–1138
actomyosin-like proteins in, 1135–1136
ATP in, 1135
biochemical characteristics, 1132–1141
catecholamine content and synthesis, 1132–1133
chromogranins and dopamine β-hydroxylase in, 1133–1134
clathrin, synexin, tubulin, and calmodulin in, 1136
cytoskeletal elements, 1135–1136
effects of growth and survival factors other than nerve growth factor, 1131–1132
effects of nerve growth factor and corticosteroids, 1129–1131
enkephalins and dynorphins in, 1134–1135, 1140–1141
functional studies of, 1141–1150
isolation of single cells by enzymatic digestion, 1104–1109
"leaky" and "skinned" cells, 1118–1120
methods for maintaining cells in culture, 1120–1126
monolayer cultures, 1120–1125
morphological characteristics of primary monolayer cultures, 1126–1129
morphological characteristics of suspension cultures, 1129
neuropeptides in, 1138–1141
neurotensin in, 1138–1139
other treatments for purification of isolated cells, 1117–1118
physiological implications and significance of studies of, 1150–1151
purification by differential plating, 1114–1117
purification by isopycnic centrifugation, 1109–1114
purification of isolated cells, 1109–1120
secretion from, biochemical and pharmacological studies, 1141–1143
secretion from, mechanisms, 1143–1148
secretion from, modulation of, 1147–1150
somatostatin in, 1139
storage of isolated cells, 1114
substance P in, 1138
suspension cultures, 1125–1126
vasoactive intestinal polypeptide in, 1139
Chromogranins: *see* Nerve tissue proteins
Clathrin: *see* Membrane proteins
Clostridiopeptidase A
digestion of adrenal medulla for isolation of single chromaffin cells, 1104–1109
Cold
cold-pressor test, effect on blood pressure in normal subjects, 632
Collagenase: *see* Clostridiopeptidase A
Conalbumin
stationing by hosts at potential invasion sites to defend against infection and neoplasia, 66–67
Conditioning, classical
in study of modification of spinal synapses by stimulation, 268–269
Coronary circulation
in essential hypertension, 645
Coronary disease
ischemia and hypoxia, role in regulation of β-adrenergic receptors, 721–722
Corticosteroids: *see* Adrenal cortex hormones
Cyclic AMP: *see* Adenosine cyclic monophosphate
Cytoplasm
Ca^{2+} concentration in, regulation of, 1241–1243
Ca^{2+} pump of endoplasmic reticulum, 1242
Ca^{2+} pumps of cell surface membranes, 1241
cellular Ca^{2+} homeostasis, 1242–1243
mitochondrial Ca^{2+} transport, 1242
cytoplasmic effects of epinephrine in regulation of gluconeogenesis, 213–215
phosphofructokinase-fructose diphosphatase cycle, 214–215
pyruvate kinase, 213–214
cytoplasmic effects of glucagon in regulation of gluconeogenesis, 194–199
fructose 6-phosphate–fructose 1,6-diphosphate cycle, 197–199
phosphoenolpyruvate carboxykinase, 194–195
pyruvate kinase, 196–197
cytoplasmic effects of vasopressin and angiotensin II in regulation of gluconeogenesis, 223

Cytoplasmic filaments
role in transport of bile salts across hepatic canalicular membrane, 1088–1090
Cytosol
cytosol factor in action of parathyroid hormone on bone, 1022
cytosolic steps in regulation of pathway of gluconeogenesis, 181
free calcium in, measurement of, 948–950
liver cytosolic proteins, interaction of bile salts with, 1080–1085

D

Dantrolene
effect on Ca^{2+} release from sarcoplasmic reticulum, 1299–1300
Diabetes mellitus
role in regulation of β-adrenergic receptors, 725
Diet
diet-induced thermogenesis in brown fat, 47–49
1,25-Dihydroxycholecalciferol: *see* Calcitriol
24,25-Dihydroxycholecalciferol
metabolism in experimental animals and humans, 495
1,25-Dihydroxyvitamin D_3: *see* Calcitriol
Disease models, animals
obesity models, use in study of brown fat thermogenesis, 49–51
Dopamine β-hydroxylase
in adrenal medullary chromaffin cells in culture, 1133–1134
Dynorphins: *see* Endorphins

E

Electric ray: *see* Fish
Electric stimulation
of spinal synapses in study of their modifiability, 261–269
classical conditioning, 268–269
habituation and sensitization, 261–267
posttetanic potentiation, 267–268
Endoplasmic reticulum
see also Sarcoplasmic reticulum
Ca^{2+} pump of, role in regulation of cytoplasmic Ca^{2+} concentration, 1242
Endorphins
enkephalins and dynorphins in adrenal medullary chromaffin cells in culture, 1134–1135, 1140–1141
Epinephrine
role in regulation of hepatic gluconeogenesis, 175–176, 207–220
cytoplasmic steps, 210–213
effects on ion fluxes, 215–219
effects on microsomal fraction, 215
mitochondrial steps, 210–213
Erythrocytes
reticulocyte-erythrocyte system in rats, effect of age and growth on β-adrenergic receptors on, 733–734
Essential hypertension: *see* Hypertension, essential
Ethanol: *see* Alcohol, ethyl
Exercise test
in essential hypertension in humans, 627–628
Exertion
physical exercise, response in essential hypertension, 627–629
exercise tests, 627–628
physical conditioning, 628–629
Extracellular space
extracellular fluid volume in essential hypertension, 623–624
Extremities
forearm and calf blood flows in essential hypertension, 642–644

F

Fat, brown: *see* Brown fat
Fatty acids
role in brown fat during acute thermogenesis, 22–23
activation and oxidation, 22
fatty acids and fatty acyl-CoA, 33–36
intramitochondrial metabolism, 22–23
oxidation in brown fat peroxisomes, 22
relation between fatty acid uncoupling and 32,000-M_r protein of mitochondria, 37–38
synthesis, 26–29
Fatty acyl CoA: *see* Acyl coenzyme A
Fatty tissue: *see* Adipose tissue
Fish
slow muscle in, 131–136
agnatha, 131–132
elasmobranchs, 131–132
teleosts, 133–136
Torpedo acetylcholine receptors, structure of, 1162–1239
detailed morphological studies, 1175–1179

Fish (*continued*)
molecular weight and overall shape, 1168–1175
subunit association, 1201–1221
subunit composition and affinity labeling, 1180–1186
transmembrane arrangement of receptor subunits, 1186–1201
Fructose diphosphatase: *see* Hexosediphosphatase
Fructosephosphates
fructose 6-phosphate–fructose 1,6-diphosphate cycle in cytoplasmic effects of glucagon in regulation of hepatic gluconeogenesis, 197–199

G

Gastrointestinal system
see also Intestines
smooth muscle effects of leukotrienes, 749
Glucagon
role in regulation of hepatic gluconeogenesis, 172–174, 186–207
cytoplasmic steps, 194–199
effects on ion fluxes, 201–205
effects on microsomal fraction, 199–201
mitochondrial steps, 187–194
Glucocorticoids
role in regulation of hepatic gluconeogenesis, 176–177, 227–234
acute effects, 230
effects on ion distribution, 233
general considerations, 227–230
microsomal effects, 232–233
mitochondrial effects, 231–232
Gluconeogenesis, hepatic
epinephrine and α-agonists in regulation of, 175–176, 207–220
catecholamine effects on ion fluxes, 215–219
cytoplasmic steps, 213–215
epinephrine effects on microsomal fraction, 215
mitochondrial steps, 210–213
glucagon regulation of, 172–174, 186–207
cytoplasmic steps, 194–199
effects of glucagon on ion fluxes, 201–205
effects of glucagon on microsomal fraction, 199–201
mitochondrial steps, 187–194
glucocorticoid regulation of, 176–177, 227–234
acute effects, 230
effects on ion distribution, 233
general considerations, 227–230
microsomal effects, 232–233
mitochondrial effects, 231–232
hormonal regulation of, 170–259
insulin regulation of, 174–175, 234–240
effects on ion fluxes, 240
hepatic effects of insulin, 239–240
mitochondrial effects, 239–240
signals generated by insulin, 236–239
measurement of, methods, 183–186
cell-free system, 186
cultured hepatocytes, 186
in vivo studies, 183–184
isolated liver cells, 185
perfused liver, 184–185
need for, 171–172
pancreatic hormone regulation of, 172–175
pathway of, 177–183
pathway of, regulation, 178–183
Ca^{2+} metabolism in liver, 182–183
cytosolic steps, 181
mitochondrial steps, 180
substrate supply and product inhibition, 179–180
somatostatin regulation of, 172
vasopressin and angiotensin II regulation of, 176, 220–227
cytoplasmic steps, 223
effects on ions, 223–226
mitochondrial effects, 222–223
Glutathione transferases
role in bile salt transport across hepatocyte, 1080–1085
Glycoproteins
biosynthesis of, function of vitamin A in, 926–931

H

Halothane
action on Ca^{2+} release from sarcoplasmic reticulum triggering malignant hyperthermia, 1280
Heart
β-adrenergic receptors in, effect of age and growth on, 730–731
Heart enlargement
relation to etiology of essential hypertension, 646–647
role in regulation of β-adrenergic receptors, 715–717
ventricular hypertrophy in hypertension, 620–622

Heart failure, congestive
role in regulation of β-adrenergic receptors, 715–717
Hemodynamics
see also Blood pressure; Blood volume; Cardiac output; Renin-angiotensin system; Vascular resistance; Vasoconstriction
evidence relating to etiology of essential hypertension, 646–648
abnormality in vascular function, 648
cardiovascular hypertrophy, 646–647
increased sympathetic tone, 647
kidney and sodium role, 648
in essential hypertension in humans, 617–660
cerebral circulation, 641–642
coronary circulation, 645
distribution of blood flow, 645–646
hemodynamics of regional vascular beds, 637–646
limb blood flow, 642–644
renal circulation, 638–641
response to exercise tests, 627–628
response to physical conditioning, 628–629
skin circulation in hand and foot, 644
splanchnic circulation, 645
of pulmonary vascular bed, morphometric evaluation of, 549
systemic hemodynamics in hypertension at rest, 618–627
cardiac output, 618–620
functional and genetic types of hypertension, 625–626
peripheral resistance, 622–623
plasma and extracellular fluid volumes, 623–624
pulmonary circulation, 622
subtypes of hypertension, 625–626
venous distensibility and cardiopulmonary blood volume, 624–625
ventricular function, 620–622
volume and vasoconstrictor types of hypertension, 625
Hepatic gluconeogenesis: *see* Gluconeogenesis, hepatic
Hexosediphosphatase
phosphofructokinase-fructose diphosphatase cycle in hepatic gluconeogenesis, effects of epinephrine on, 214–215
Hibernation
hibernating animals and brown fat thermogenesis, 51
High-frequency ventilation: *see* Respiration, artificial
Homeostasis
cellular Ca^{2+} homeostasis in regulation of cytoplasmic Ca^{2+} concentration, 1242–1243
of vitamin A, 882–887
Hormones
regulation of hepatic gluconeogenesis, 170–259
Hydrogen ion concentration
pH changes inducing Ca^{2+} release from sarcoplasmic reticulum, 1300–1303
Hypercapnia
effects on pulmonary vascular bed, 587–588
Hypertension
role in regulation of β-adrenergic receptors, 717–720
Hypertension, essential
control of blood pressure in, 633–637
baroreceptors and chemoreceptors, 633–634
responses to depressor agents, 636–637
responses to pressor agents, 637
sympathetic nervous system, 634–636
etiology of, hemodynamic evidence relating to, 646–648
abnormality in vascular function, 648
cardiovascular hypertrophy, 646–647
increased sympathetic tone, 647
kidney and sodium role, 648
hemodynamic aspects in humans, 617–660
cerebral circulation, 641–642
coronary circulation, 645
distribution of blood flow, 645–646
forearm and calf blood flows, 642–644
hemodynamics of regional vascular beds, 637–646
limb blood flow, 642–644
renal circulation, 638–641
response to exercise tests, 627–628
response to physical conditioning, 628–629
skin circulation in hand and foot, 644
splanchnic circulation, 645
systemic hemodynamics at rest in, 618–627
cardiac output, 618–620
functional and genetic types of hypertension, 625–626
peripheral resistance, 622–623
plasma and extracellular fluid volumes, 623–624

Hypertension, essential (*continued*)
pulmonary circulation, 622
subtypes of hypertension, 625–626
venous distensibility and cardiopulmonary blood volume, 624–625
ventricular function, 620–622
volume and vasoconstrictor types of hypertension, 625
Hypothalamus
role in regulation of brown fat thermogenesis, 55–56

I

Infection
iron-withholding defense against, pillars supporting the concept, 65–102
enhancement of iron withholding decreases incidence and intensity of infection, 75–78
hosts mobilize emergency mechanisms of iron withholding at time of invasion, 71–75
hosts station iron-binding proteins at potential invasion sites, 66–71
pathogens attempt to capture iron from host tissues and fluids, 87–92
suppression of iron withholding increases incidence and intensity of infection, 78–87
Insulin
action on brown fat during acute thermogenesis, 26–29
analogues of, structure and function of, 1349–1350
degradation of, cellular mechanisms of, 1342
effect on adaptive response of brown fat for thermogenesis, 54
enzymatic degradation of, mode of, 1342–1343
mechanism of action of, 1360–1363
radioisotope-labeled insulin in studies of insulin receptors, 1324–1329
heterogeneous ^{125}I-labeled preparations, 1325–1326
implications for receptor studies, 1328–1329
monoiodoinsulin, 1326–1327
tritium-labeled insulin, 1328
receptor-mediated degradation of, 1341–1343
kinetics of, 1341–1342
physiological role of, 1343
role in regulation of hepatic gluconeogenesis, 174–175, 234–240
effects on ion fluxes, 240
hepatic effects of insulin, 239–240
mitochondrial effects, 239–240
signals generated by insulin, 236–239
structure-function relationship of, 1349–1360
cooperative regions, 1357–1358
growth active region, 1358–1360
insulin analogues, 1349–1350
metabolically active region, 1356–1357
receptor-binding region, 1350–1356
Insulin receptors: *see* Receptors, insulin
Intercellular junctions
intermediate junctions in smooth muscles, 466–467
Intestinal absorption
of β-carotene, 876–877
of retinol, 878–879
Intestines
enterohepatic circulation and distribution of bile salts in blood, 1061–1063
enterohepatic physiology of calcitriol in normal humans, 492–493
enterohepatic recycling of calcitriol in animal experiments, 484–485
Intracellular membranes
role in cellular calcium metabolism, 947–948
Ion channels
calcium channels in perfused neurons, properties of, 439–445
potassium channels in perfused neurons, properties of, 446–448
role in secretion from adrenal medullary chromaffin cells in culture, effects of neurotoxins, 1144–1145
sodium channels in perfused neurons, properties of, 445–446
Iron
iron-withholding defense against infection and neoplasia, pillars supporting the concept, 65–102
enhancement of iron withholding decreases incidence and intensity of infection and neoplasia, 75–78
hosts mobilize emergency mechanisms of iron withholding at time of invasion, 71–75
hosts station iron-binding proteins at potential invasion sites, 66–71

pathogens and neoplastic cells attempt to capture iron from host tissues and fluids, 87–93
suppression of iron withholding increases incidence and intensity of infection and neoplasia, 78–87
Iron-binding proteins
stationing by hosts at potential invasion sites to defend against infection and neoplasia, 66–71
Isoproterenol
effects on blood pressure in essential hypertension, 637

K

7-Ketolithocholic acid
choleretic effects of, involvement of bicarbonate transport in, 1095
Kidney
see also Renal circulation
effects of parathyroid hormone on, 1017–1020
other hormonal effects, 1020
receptor–adenylate cyclase–nucleotide regulatory protein model, 1018–1020
role of cyclic AMP as second messenger, 1017–1018
relation to etiology of essential hypertension, 648
Kinetics
characteristics of insulin receptors, 1329–1336

L

Lactoferrin
stationing by hosts at potential invasion sites to defend against infection and neoplasia, 67–68
Lanthanides: *see* Metals, rare earth
Leukocytes
β-adrenergic receptors on, effect of age and growth on, 732–733
Leukotrienes
formation and actions of, 744–761
pharmacological actions of, 748–756
on airways, 749–752
on cardiovascular system, 754–756
on gastrointestinal smooth muscle, 749
on microvasculature, 752–753
on secretion of mucus into airways, 752
sulfones of, biological responses of, 756–757
Ligandins: *see* Glutathione transferases
Ligands
see also Radioligand assay
β-adrenergic receptor ligand-binding site, nature of, 688–692
binding to β-adrenergic receptors, 662–663
ligand-binding studies and mechanism of β-adrenergic receptor activation, 663–671
Lipids
see also Phospholipids
lipogenesis in brown fat during acute thermogenesis, 26–29
lipolysis in acute thermogenic response in brown fat, 21
Liver
see also Gluconeogenesis, hepatic; Microsomes, liver; Mitochondria, liver
albumin-binding sites in hepatocyte membrane and relation to hepatic uptake of bile salts from blood, 1069–1071
biliary metabolites of calcitriol, nature of, 485–488
Ca^{2+} metabolism in regulation of pathway of gluconeogenesis, 182–183
canalicular membrane, transport of bile salts across, 1088–1092
paracellular pathway, 1090–1092
role of microfilament and microtubular systems, 1088–1090
enterohepatic physiology of calcitriol in normal humans, 492–493
hepatic bile flow, 1055–1102
hepatocyte, transport of bile salts across, 1077–1088
distribution of bile salts in cell, 1077–1080
interaction of bile salts with cytosolic proteins, 1080–1085
interaction of bile salts with subcellular organelles, 1085–1088
insulin receptors in, kinetic analysis of, 1333
ion distribution during gluconeogenesis, effects of glucocorticoids, 233
ion fluxes during gluconeogenesis, effects of catecholamines on, 215–219
ion fluxes during gluconeogenesis, effects of insulin on, 240
ion fluxes during gluconeogenesis, effects

Liver (*continued*)
of vasopressin and angiotensin II on, 223–226
metabolism of calcitriol and enterohepatic recycling of it, 484–485
metabolism of calcitriol, regulation of, 496
perfusion in study of gluconeogenesis, 184–185
uptake of bile salts from blood, 1064–1077
albumin-binding sites in hepatocyte membrane, 1069–1071
interaction of bile salts with membrane receptors, 1074–1077
lobular uptake, 1064–1067
secondary active transport, 1071–1074
uptake from blood, 1067–1069
Liver circulation
enterohepatic circulation and distribution of bile salts in blood, 1061–1063
Lizards: *see* Reptiles
Lung
β-adrenergic receptors in, effect of age and growth on, 729–730
blood flow during high-frequency ventilation, 538–539
vascular compliance of, distribution among compartments of pulmonary vascular bed, 560–569
vascular compliance of, longitudinal distribution of, 573–575
Lymphocytes
human IM-9 lymphocytes in studies of insulin receptors, 1333

M

Magnesium
Mg^{2+} inhibition of Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1278–1279
role in control of parathyroid hormone secretion, 998–999
Malignant hyperthermia
triggering by Ca^{2+}-releasing action of halothane on sarcoplasmic reticulum, 1280
Mammals
slow muscle in, 147–153
cats, 147–150
other mammals, 150–153
Membrane potentials
see also Postsynaptic potentials
during secretion from adrenal medullary chromaffin cells in culture, 1145–1147
of sarcoplasmic reticulum and its influence on Ca^{2+} fluxes, 1293–1297
of slow muscle fibers of amphibians, 113–115
Membrane proteins
see also Receptors, endogenous substances
clathrin in adrenal medullary chromaffin cells in culture, 1136
oligomeric integral membrane protein of acetylcholine receptors, structure of, 1162–1239
detailed morphological studies, 1175–1179
molecular weight and overall shape, 1168–1175
subunit association, 1201–1221
subunit composition and affinity labeling, 1180–1186
transmembrane arrangement of receptor subunits, 1186–1201
Membranes
see also Cell membrane; Intracellular membranes
unstirred layer phenomena in, 763–872
classification of effects of unstirred layers, 772–774
concept of unstirred layer, 768–770
convective flow (sweeping-away) effects, 786–826
current (transport-number) and flux-induced effects, 826–854
diffusional permeability measurements, 774–779
flux-induced effects, 853–854
future prospects, 856–858
glossary, 764–766
gradient-dissipation effects, 774–786
measurements of active transport kinetic parameters, 782–786
reflection coefficient measurements, 779–782
summary of unstirred layer effects, 766–768
transport-number effects, 826–853
unstirred layer thickness, 770–772
Metals, rare earth
lanthanide ions inducing crystallization of Ca^{2+}-ATPase in sarcoplasmic reticulum, 1260
Microcirculation
effects of leukotrienes on, 752–753

Microfilaments: *see* Cytoplasmic filaments
Microscopy, electron
low-resolution microscopy of *Torpedo* acetylcholine receptors, 1170–1173
Microsomes, liver
effects of catecholamines in regulation of hepatic gluconeogenesis, 215
effects of glucagon in regulation of hepatic gluconeogenesis, 199–201
effects of glucocorticoids in regulation of hepatic gluconeogenesis, 232–233
Microtubules
role in transport of bile salts across hepatic canalicular membrane, 1088–1090
Mitochondria
Ca^{2+} exchange in, 950–956
Ca^{2+} stabilizing and storage function of mitochondria, 950–955
mitochondria as source of activator Ca^{2+}, 955–956
Ca^{2+} transport in regulation of cytoplasmic Ca^{2+} concentration, 1242
of brown fat, acute thermogenic response in, 22–23, 29–47
correlation of 32,000-M_r protein with thermogenic capacity during perinatal development, 40–43
correlation of 32,000-M_r protein with thermogenic capacity of adult warm- and cold-adapted animals, 43–47
cytosolic messenger, 29–30
fatty acid activation and oxidation, 22
fatty acids and fatty acyl-CoA, 33–36
increased cytosolic pH, 32
intramitochondrial metabolism of fatty acids, 22–23
is 32,000-M_r protein a prerequisite? 38–39
postulated sequence of events, 40
regulation of mitochondrial proton conductance by cytosolic purine nucleotides, 30–32
relation between fatty acid uncoupling and 32,000-M_r protein of mitochondria, 37–38
oxygen consumption and principles of cellular thermogenesis, 3–16
accelerated ATP turnover, 5–9
chloride permeability of brown fat mitochondria, 13
enhanced mitochondrial proton permeability, 9–13
mitochondrial nucleotide-binding protein, 13–16
modified respiratory chains, 5
respiratory control, 3–5
Mitochondria, liver
effects of epinephrine during regulation of gluconeogenesis, 210–213
effects of glucagon during regulation of gluconeogenesis, 187–194
effects of glucocorticoids during regulation of gluconeogenesis, 231–232
effects of insulin during regulation of gluconeogenesis, 239–240
effects of vasopressin and angiotensin II during regulation of gluconeogenesis, 222–223
mitochondrial steps in regulation of pathway of gluconeogenesis, 180
Models
gas-transport models to predict overall gas transport rates during high-frequency ventilation, 524–528
Mucus
secretion into airways, effects of leukotrienes on, 752
Multiple myeloma
human IM-9 lymphocyte cultures in studies of insulin receptors, 1333
Muscarinic receptors: *see* Receptors, cholinergic
Muscle contraction
contractures in slow muscles of amphibians, 115–119
excitation-contraction coupling, 1260–1269
Ca^{2+} transport and ATPase activities of T tubules and surface membranes, 1266–1268
isolation and characterization of components of T tubule–sarcoplasmic reticulum junctions, 1262–1266
mechanisms of signal transmission, 1261
nitrendipine receptors in T tubules of skeletal muscle, 1268–1269
structure of T tubule–sarcoplasmic reticulum junctions, 1261–1262
excitation-contraction coupling in slow muscle of amphibians, 111–113
force transmission in smooth muscles, structural apparatus for, 455–477
arrangement of dense bands, 463–465
arrangement of filaments, 459–461
direct force transmission from cell to cell, 469

Muscle contraction (*continued*)
force transmission across cell membrane, 467
force transmission from cell membrane to stroma, 470–471
force transmission from contractile apparatus to cell membrane, 465–466
intermediate junctions, 466–467
orientation of filaments, 461–463
outer surface of cell membrane, 469–470
smooth muscle contraction, 457–458
structure and spatial arrangement of stroma, 471–474
Muscle proteins
actomyosin-like proteins in adrenal medullary chromaffin cells in culture, 1135–1136
Muscle, skeletal
see also Sarcoplasmic reticulum
β-adrenergic receptors in, effect of age and growth on, 732
intrafusal fibers, relation to slow muscle, 153–157
slow muscle in amphibians, 104–131
contractures, 115–119
distribution, 105–106
excitation-contraction coupling, 111–113
histochemistry, 107
innervation, 107–110
intermediate fibers, 129–131
mechanics, 119–126
membrane electrical properties, 113–115
neuromuscular transmission, 110–111
plasticity, 126–129
sarcomeres, 106–107
slow muscle in birds, 141–147
slow muscle in cats, 147–150
slow muscle in fish, 131–136
agnatha, 131–132
elasmobranchs, 132–133
teleosts, 133–136
slow muscle in mammals, 147–153
slow muscle in reptiles, 136–141
lizards and snakes, 138–141
turtles, 136–138
slow muscle in vertebrates, 103–169
comparison of fiber types, 159
comparison of mechanical properties of different kinds of fibers, 158
comparison of membrane electrical properties of different kinds of fibers, 158
T tubules and excitation-contraction coupling, 1260–1269
Ca^{2+} transport and ATPase activities of T tubules and surface membranes, 1266–1268
isolation and characterization of components of T tubule–sarcoplasmic reticulum junctions, 1262–1266
mechanisms of signal transmission, 1261
nitrendipine receptors in T tubules, 1268–1269
structure of T tubule–sarcoplasmic reticulum junctions, 1261–1262
Muscle, smooth
force transmission in, structural apparatus for, 455–477
arrangement of dense bands, 463–465
arrangement of filaments, 459–461
direct force transmission from cell to cell, 469
force generation, 458
force transmission across cell membrane, 467
force transmission from cell membrane to stroma, 470–471
force transmission from contractile apparatus to cell membrane, 465–466
intermediate junctions, 466–467
orientation of filaments, 461–463
outer surface of cell membrane, 469–470
smooth muscle contraction, 457–458
structure and spatial arrangement of stroma, 471–474
of gastrointestinal system, effects of leukotrienes on, 749

N

Neoplasms
iron-withholding defense against, pillars supporting the concept, 65–102
enhancement of iron withholding decreases incidence and intensity of neoplasia, 75–78
hosts mobilize emergency mechanisms or iron withholding at time of invasion, 71–75
hosts station iron-binding proteins at potential invasion sites, 66–71
neoplastic cells attempt to capture iron from host tissues and fluids, 92–93
suppression of iron withholding increases incidence and intensity of neoplasia, 85–87
Nerve cells: *see* Neurons

Nerve growth factor
effect on morphology of adrenal medullary chromaffin cells in vitro, 1129–1131
Nerve tissue proteins
see also Endorphins; Nerve growth factor; Neurotensin; Tubulin
chromogranins in adrenal medullary chromaffin cells in culture, 1133–1134
endogenous neuropeptides, role in modulation of secretion from adrenal medullary chromaffin cells in culture, 1148–1149
Neural transmission
neuromuscular transmission in slow muscle of amphibians, 110–111
synaptic transmission in spinal cord, modifiability of, 260–324
classical conditioning studies, 268–269
effect of partial deafferentation of spinal cord neurons, 282–298
effect of spinal cord transection, 298–310
habituation and sensitization after stimulation, 261–267
modifiability after injury, 270–310
modifiability during development, 310–312
modification by stimulation, 261–269
posttetanic potentiation after stimulation, 267–268
reactions of neurons whose axons are cut, 270–282
Neuromuscular junction
neuromuscular transmission in slow muscle of amphibians, 110–111
Neurons
see also Axons; Neurons, afferent; Neurons, efferent
intracellular dialysis and perfusion of, techniques for, 437–439
intracellular perfusion and its effects on membrane currents, 435–454
electric measurements of perfused cells, 439
enzymatic activity in perfused neurons and its relation to membrane phenomena, 448–450
properties of calcium channels, 439–445
properties of chemically operated channels, 448
properties of potassium channels, 446–448
properties of sodium channels, 445–446
isolation of, 436–437
neuronal selectivity in primary visual cortex of cat, development of, 325–434
control of development of orientation selectivity by visual experience, 362–374
critical period, 388–394
final state: representation of orientation selectivity in adult CNS, 328–347
gate control by extraretinal factors, 374–388
initial state, 347–362
modifications of functional properties of neurons considered individually, 394–407
Neurons, afferent
of spinal cord, effects of partial deafferentation, 282–298
collateral sprouting in spinal cord, 283–286
denervation supersensitivity in spinal cord, 286–288
dermatomal organization after rhizotomy, 295
peripheral nerve lesions, 296–297
physiological analysis of neurons deafferented by dorsal rhizotomy, 288–295
Neurons, efferent
stimulation of, responses of pulmonary vasomotor mechanisms to, 588–590
Neuropeptides: *see* Nerve tissue proteins
Neuroregulators
effect on pulmonary vasomotor mechanisms, 588–590
Neurotensin
in adrenal medullary chromaffin cells in culture, 1138–1139
Neurotoxins
use in study of role of ion channels in secretion from adrenal medullary chromaffin cells, 1144–1145
Nicotinic receptors: *see* Receptors, cholinergic
Nonshivering thermogenesis: *see* Body temperature regulation
Norepinephrine
effects on blood pressure in essential hypertension, 637
role in regulation of hepatic gluconeogenesis, 176
Nucleotides
cytosolic purine nucleotides, regulation of mitochondrial proton conductance in brown fat during thermogenesis, 30–32

Nucleotides (*continued*)
hormone receptor-adenylate cyclase-nucleotide regulatory protein model of action of parathyroid hormone on target organs, 1018–1020
nucleotide-binding protein in mitochondria of thermogenic brown fat, 13–16

O

Obesity
animal models of, use in study of brown fat thermogenesis, 49–51
Osmosis
osmotic swelling, effect on Ca^{2+} release from sarcoplasmic reticulum, 1292–1293
Oxygen
transport in experimental animals and humans, effects of high-frequency ventilation on, 535–537
Oxygen consumption
of mitochondria and principles of cellular thermogenesis, 3–16
accelerated ATP turnover, 5–9
chloride permeability of brown fat mitochondria, 13
enhanced mitochondrial proton permeability, 9–13
mitochondrial nucleotide-binding protein, 13–16
modified respiratory chains, 5
respiratory control, 3–5
respiratory response of brown fat cell during acute thermogenic response, 16–19

P

Parathyroid hormone
biological actions on target organs, 1016–1023
biosynthesis of, 986–994
cellular pathway, 989–991
control of, 1004–1007
enzymatic cleavage of cellular parathyroid hormone, 994
enzymatic processing of preproparathyroid hormone, 991–993
enzymatic processing of proparathyroid hormone, 993
structure of biosynthetic precursors, 986–987
structure of mRNA encoding for preproparathyroid hormone, 987–989
effects on bone, 1020–1023
cytosol factor, 1022
intracellular Ca^{2+} as second messenger and possible role of calmodulin, 1021–1022
modulation of receptor number, 1022–1023
phosphorylation of intracellular proteins by protein kinases, 1022
role of cyclic AMP as second messenger, 1021
effects on kidney, 1017–1020
other hormonal effects, 1020
receptor-adenylate cyclase-nucleotide regulatory protein model, 1018–1020
role of cyclic AMP as second messenger, 1017–1018
future directions in study of, 1039–1040
inhibitors of, 1032–1037
metabolism of, 1008–1016
cleavage-specific requirement for activity, 1011–1013
forms of hormone in the circulation, 1008–1011
organ-specific metabolism of, 1013–1016
secretion of, control of, 994–1004
Ca^{2+}, 994–998
catecholamines, 999–1001
Mg^{2+}, 998–999
other potential regulatory factors, 1002–1004
vitamin D metabolites, 1001–1002
secretion processes, 1007–1008
structure-activity relations for, 1023–1039
analogues selective in their spectrum of biological actions, 1037–1038
analogues with enhanced biological activity, 1031–1032
comparison of biological activities of native parathyroid hormone derived from different species, 1028–1029
functional map of hormone molecule, 1023–1028
minimum sequence necessary for biological activity and critical role of NH_2-terminus, 1030–1031
modifications of central portion of fully active region and analogues designed for specialized applications, 1038–1039
Perfusion
intracellular perfusion of nerve cells and its effect on membrane currents, 435–454

electric measurements of perfused cells, 439
enzymatic activity in perfused neurons and its relation to membrane phenomena, 448–450
properties of ionic channels revealed on perfused neurons, 439–448
techniques for, 437–439
Peroxisomes
of brown fat, fatty acid oxidation during acute thermogenic response, 22
pH: *see* Hydrogen ion concentration
Phosphoenolpyruvate carboxykinase
cytoplasmic step in regulation of hepatic gluconeogenesis, 194–195
Phosphofructokinase
phosphofructokinase-fructose diphosphatase cycle in hepatic gluconeogenesis, effects of epinephrine on, 214–215
Phospholipids
requirement of Ca^{2+}-transport ATPase of sarcoplasmic reticulum for, 1256–1257
Phosphorylation
of intracellular proteins by protein kinases as mediating factor in action of parathyroid hormone on bone, 1022
Pituitary hormones
effect on adaptive response of brown fat for thermogenesis, 55
Plasma membrane: *see* Cell membrane
Plasma volume
in essential hypertension, 623–624
Postsynaptic potentials
posttetanic potentiation of spinal cord synapses after electrical stimulation, 267–268
Posture
effects on blood pressure in normal subjects, 630–631
Potassium channels: *see* Ion channels
Pressoreceptors
role in control of blood pressure, 633–634
Propranolol
propranolol-withdrawal syndrome and effects on β-adrenergic receptors, 701–703
Protein kinases
activity in perfused neurons and its relation to membrane phenomena, 448–450
Ca^{2+}-activated protein kinase in Ca^{2+} messenger system, 944–945, 962–967
role in gain control, 962–967
cyclic AMP–dependent protein kinases in acute thermogenic response in brown fat, 20–21
phosphorylation of intracellular proteins as mediating factor in action of parathyroid hormone on bone, 1022
Protein precursors
of parathyroid hormone, enzymatic processing of, 991–993
preproparathyroid hormone, 991–993
proparathyroid hormone, 993
Psychotropic drugs
effects on β-adrenergic receptors, 727–729
Pulmonary circulation
cardiopulmonary blood volume in essential hypertension, 624–625
in essential hypertension in humans at rest, 622
pulmonary vascular bed as parallel network, 569–573
interregional distribution of perfusion, 569–570
intraregional distribution of perfusion, 570–571
recruitment, 571–573
pulmonary vascular bed as series compartments, 545–569
alveolar and extra-alveolar vessels, 556–559
anatomic definition of, 545–552
direct measurement of pressures in large and small vessels, 550–552
distribution of compliance and resistance, 560–569
fluid-exchange vessels, 554–556
functional definition of, 552–569
gas-exchange vessels, 552–554
morphometric evaluation of hemodynamics, 549
vessel structure and morphometry, 545–549
pulmonary vasomotion, general consequences of, 573–575
distribution of perfusion among parallel pathways, 575
longitudinal distribution of resistance and compliance, 573–575
pulmonary vasomotion, role in physiology of lung, 544–616
specific pulmonary vasomotor mechanisms, 575–597
effect of hypercapnia, 587–588
effect of hypoxia, 575–587
humoral control, 593–597
neural control, 588–593
pulmonary vasomotor reflexes, 590–593

Pulmonary circulation (*continued*)
response to efferent nerve stimulation and neurotransmitters, 588–590
role of blood-borne vasoactive substances, 596–597
role of local vasoactive mediators, 594–596
role of respiratory gases, 575–588
Pyruvate kinase
cytoplasmic step in epinephrine regulation of hepatic gluconeogenesis, 213–215
cytoplasmic step in glucagon regulation of hepatic gluconeogenesis, 196–197

R

Radioligand assay
in subclassification of β-adrenergic receptors, 674–680
Receptors, adrenergic, α –
role in acute thermogenic response in brown fat, 23–24
Receptors, adrenergic, β –
activation of, mechanism of, 663–671
ligand-binding studies of, 663–671
ligand binding to, 662–663
physiological regulation of, biochemical mechanisms, 661–743
adrenal corticosteroids, 710–714
alcohol and chemical effects, 725–727
denervation, 700–701
desensitization, 694–699
effects of age and growth, 729–734
effects of psychotropic drugs, 727–729
gonadal steroids, 714–715
heterologous regulation, 704–734
homologous regulation, 692–703
propranolol-withdrawal syndrome, 701–703
role of asthma, 722–725
role of cardiac hypertrophy and heart failure, 715–717
role of diabetes mellitus, 725
role of hypertension, 717–720
role of ischemia and hypoxia, 721–722
role of other diseases, 722–725
thyroid hormones, 704–710
role in acute thermogenic response in brown fat, 19–20
structure of, 680–692
affinity labeling of receptors, 685–688
nature of β-adrenergic receptor ligand-binding site, 688–692
purification of receptors, 681–685
subclassification of, 672–680
β_1- and β_2-subtypes, 672–680
pharmacological approach, 672–674
radioligand binding, 674–680
Receptors, cholinergic
affinity labeling of ligand-binding sites in *Torpedo*, 1181–1186
acetylcholine-binding sites, 1181–1184
binding sites for noncompetitive blockers, 1185–1186
detailed morphological studies in *Torpedo*, 1175–1179
fine structure of acetylcholine receptor rosette, 1175–1177
structure of H form, 1177–1179
function and pharmacology of, 1164–1165
molecular weight and overall shape of receptor from *Torpedo*, 1168–1175
electron microscopy at low resolution, 1170–1173
general shape of L-form receptor, 1169
molecular weight of L-form receptor, 1168–1169
nature of H form, 1169–1170
postsynaptic membrane as supramolecular assembly, 1173–1174
nicotinic and muscarinic receptor function in secretion from adrenal medullary chromaffin cells in culture, 1143–1144
nitrendipine receptors in T tubules of skeletal muscle, 1268–1269
purification of, 1165–1167
reconstitution of, 1167
subunit association of, 1201–1221
correlation between morphological and biochemical structures, 1218–1221
general arrangement, 1201–1202
hydrophilic domains, 1210–1215
location of β-, γ-, and δ-subunits, 1219–1221
structure of cholinergic channel, 1202–1210
topography of, 1215–1217
subunit composition in *Torpedo*, 1180–1181
transmembrane arrangement of receptor subunits, 1186–1201
number of membrane crossings in mature subunits, 1196–1198
structure of hydrophobic transmembrane helices, 1198–1200
topography of subunits deduced from their amino acid sequences, 1187–1196

transmembrane nature of subunits, 1186–1187
Receptors, endogenous substance
liver membrane receptors, interaction of bile salts with, 1074–1077
modulation of receptor number in action of parathyroid hormone on bone, 1022–1023
receptor–adenylate cyclase–nucleotide regulatory protein model of action of parathyroid hormone on target organs, 1018–1020
Receptors, insulin
binding kinetics and structure-function relationship of insulin, 1321–1378
binding region of insulin, 1350–1356
functional role of, 1322
kinetic characteristics of, 1329–1336
fat cells, 1331–1333
human IM-9 lymphocytes, 1333
kinetic analysis, 1329–1331
liver cells, 1333
other cell types, 1333–1335
solubilized receptors, 1335–1336
multiple affinity states of, 1336–1341
biexponential dissociation kinetics, 1339–1340
negatively cooperative interactions, 1336–1337
objections to cooperativity model, 1338–1339
physiological role of negative cooperativity, 1339
possible function of affinity changes, 1340–1341
quantitative analysis of negative cooperativity, 1337–1338
receptor-binding assay, 1324
receptor-binding theory, 1365–1367
receptor-mediated degradation of insulin, 1341–1343
cellular mechanisms of insulin degradation, 1342
kinetics of, 1341–1342
mode of enzymatic degradation, 1342–1343
physiological role of, 1343
structure of, 1322–1323
study with radioisotope-labeled insulin, 1324–1329
heterogeneous ^{125}I-labeled preparations, 1325–1326
implications for receptor studies, 1328–1329
monoiodoinsulin, 1326–1327
tritium-labeled insulin, 1328
tissue and species differences of, 1344–1349
functional differences, 1344–1346
insulin receptors in brain, 1348–1349
spare receptors, 1346–1348
Reflex
pulmonary vasomotor reflexes, 590–593
Renal circulation
in essential hypertension, 638–641
Renin-angiotensin system
role in control of blood pressure in essential hypertension, 636–637
Reptiles
slow muscle in, 136–141
lizards and snakes, 138–141
turtles, 136–138
Respiration
airflow mechanics and distribution during high-frequency ventilation (HFV), 509–517
effects of airway wall compliance on gas exchange by HFV, 517
effects of bifurcations on distribution of flow, 514
experimental studies of gas flow distribution, 514–517
R-I-C concept of flow distribution, 511–513
CO_2 removal, effects of HFV on, 530–535
gas exchange at low tidal volumes, early studies of, 507–508
gas-exchange vessels of pulmonary vascular bed, 552–554
gas transport, mediating mechanisms in normal tidal breathing or in HFV, 518–524
experimental studies, 522–524
mechanisms in which molecular diffusion is important, 521–522
transport by convection, 518–520
gas-transport models to predict overall gas transport rates during HFV, 524–528
Fredberg, 524–525
Gavriely et al., 526
Kamm et al., 527–528
Permutt et al., 526
Slutsky et al., 525–526
oxygen transport, effects of HFV on, 535–537
pulmonary ventilation at high frequencies, historical studies, 509

Respiration (*continued*)
respiratory control during HFV, 539
Respiration, artificial
high-frequency ventilation (HFV), 505–543
airflow mechanics and distribution during, 509–517
closed delivery systems for, 529–530
comparison of theory and experiment, 539–540
definition, 506–507
effects of HFV on CO_2 removal, 530–535
effects of HFV on oxygen transport, 535–537
experimental results of gas exchange by HFV, 530–539
gas-transport models of, 524–528
historical perspective, 507–509
inert-gas studies during HFV, 537–538
mechanisms mediating gas transport in, 518–524
open delivery systems for, 528–529
physiology of, 509–528
pleural surface delivery systems for, 530
pulmonary blood flow during HFV, 538–539
pulmonary ventilation at high frequencies, historical studies, 509
respiratory control during HFV, 539
various systems used in HFV delivery, 528–530
Respiratory system
see also Lung
airway secretion of mucus, effects of leukotrienes on, 752
airways, effects of leukotrienes on, 749–752
Reticulocytes
reticulocyte-erythrocyte system in rats, effect of age and growth on β-adrenergic receptors on, 733–734
Retinoic acid: *see* Tretinoin
Retinol: *see* Vitamin A
RNA, messenger
structure of mRNA encoding for preproparathyroid hormone, 987–989
Ryanodine
effect on Ca^{2+}-induced Ca^{2+} release from sarcoplasmic reticulum, 1287–1288

S

Sarcomeres
in slow muscle of amphibians, 106–107
Sarcoplasmic reticulum (SR)
Ca^{2+} release from, mechanisms of, 1240–1320
Ca^{2+} fluxes associated with partial reactions of Ca^{2+}-ATPase, 1274–1275
Ca^{2+}-induced Ca^{2+} release, 1275–1290
characterization of interaction sites, 1257–1260
effect of dantrolene on, 1299–1300
effect of osmotic swelling on, 1292–1293
induction by CO_2/HCO_3, 1303
induction by miscellaneous agents, 1305–1306
induction by pH changes, 1300–1303
induction by SH group reagents, 1303–1305
influence of membrane potential of SR on Ca^{2+} fluxes, 1293–1297
mechanism of active Ca^{2+} transport by SR, 1254–1256
passive Ca^{2+} permeability of SR, 1270–1273
protein-protein interactions in SR, 1257
release induced by ion substitution, 1290–1298
requirement for phospholipids, 1256–1257
reversal of Ca^{2+} pump, 1273–1274
spontaneous Ca^{2+} release, 1288–1290
structure of Ca^{2+}-transport ATPase of SR, 1244–1254
in excitation-contraction coupling, 1260–1269
Ca^{2+} transport and ATPase activities of T tubules and surface membranes, 1266–1268
isolation and characterization of components of T tubule–SR junctions, 1262–1266
mechanisms of signal transmission, 1261
nitrendipine receptors in T tubules of skeletal muscle, 1268–1269
structure of T tubule–SR junctions, 1261–1262
morphology of, 1244
free SR, 1244
junctional SR, 1244
Serum albumin
albumin-binding sites in hepatocyte membrane and relation to hepatic uptake of bile salts from blood, 1069–1071

Sex hormones
role in regulation of β-adrenergic receptors, 714–715
Skin
blood circulation in hand and foot in essential hypertension, 644
microvasculature of, effects of leukotrienes on, 752–753
Sleep
blood pressure variations in normal subjects during, 629–630
Slow muscle: *see* Muscle, skeletal
Snakes: *see* Reptiles
Sodium
relation to etiology of essential hypertension, 648
Sodium channels: *see* Ion channels
Somatostatin: *see* Somatotropin release-inhibiting hormone
Somatotropin release-inhibiting hormone
in adrenal medullary chromaffin cells in culture, 1139
role in regulation of hepatic gluconeogenesis, 172
Species specificity
parathyroid hormone derived from different species, comparison of their biological activities, 1028–1029
Spinal cord
synaptic transmission in, modifiability of, 260–324
classical conditioning studies, 268–269
effect of partial deafferentation of spinal cord neurons, 282–298
effect of spinal cord transection, 298–310
habituation and sensitization after stimulation, 261–267
modifiability after injury, 270–310
modifiability during development, 310–312
modification by stimulation, 261–269
posttetanic potentiation after stimulation, 267–268
reactions of neurons whose axons are cut, 270–282
transection of, effects on spinal synaptic transmission, 298–310
anatomical studies, 298–300
developmental considerations, 309
physiological studies, 300–309
Splanchnic circulation
in essential circulation, 645
Stress, psychological
effects on blood pressure in normal subjects, 631
Structure-activity relationship
of insulin, 1349–1360
of parathyroid hormone, 1023–1039
Substance P
in adrenal medullary chromaffin cells in culture, 1138
Sulfhydryl reagents
induction of Ca^{2+} release from sarcoplasmic reticulum, 1303–1305
Sulfones
leukotriene sulfones, biological responses of, 756–757
Sympathetic nervous system
increased sympathetic tone in relation to etiology of essential hypertension, 647
role in control of blood pressure, 634–636
stimulation in study of control of adaptive response of brown fat for thermogenesis, 52–53
Synapses
transmission in spinal cord, modifiability of, 260–324
classical conditioning studies, 268–269
effect of partial deafferentation of spinal cord neurons, 282–298
effect of spinal cord transection, 298–310
habituation and sensitization after stimulation, 261–267
modifiability after injury, 270–310
modifiability during development, 310–312
modification by stimulation, 261–269
posttetanic potentiation after stimulation, 267–268
reactions of neurons whose axons are cut, 270–282
Synexin
in adrenal medullary chromaffin cells in culture, 1136

T

Thermogenesis: *see* Body temperature regulation
Thyroid hormones
effect on adaptive response of brown fat for thermogenesis, 53–54
role in regulation of β-adrenergic receptors, 704–710

Torpedo: *see* Fish
Transferrin
stationing by hosts at potential invasion sites to defense against infection and neoplasia, 68–71
Tretinoin
intracellular transport of, 891–899
1,24,25-Trihydroxyvitamin D_3
formation from calcitriol in animal experiments, 483–484
formation from calcitriol in normal humans, 493–494
1,25,26-Trihydroxyvitamin D_3
formation from calcitriol in animal experiments, 490
Tubulin
in adrenal medullary chromaffin cells in culture, 1136
Turtles: *see* Reptiles

U

Unstirred layers: *see* Membranes
Ursodeoxycholic acid
choleretic effects of, involvement of bicarbonate transport in, 1095

V

Valsalva maneuver
effect on blood pressure in normal subjects, 631–632
Vascular diseases
abnormality in vascular function in relation to etiology of essential hypertension, 648
vascular hypertrophy, relation to etiology of essential hypertension, 646–647
Vascular resistance
of pulmonary vascular bed, distribution among compartments, 560–569
of pulmonary vascular bed, longitudinal distribution of, 573–575
peripheral resistance in essential hypertension at rest, 622–623
Vasoactive intestinal polypeptide
in adrenal medullary chromaffin cells in culture, 1139
Vasoconstriction
hypoxic vasoconstriction of pulmonary vascular bed, 575–587
Vasomotor system
pulmonary vasomotion, role in physiology of lung, 544–616
specific pulmonary vasomotor mechanisms, 575–597
effect of hypercapnia, 587–588
effect of hypoxia, 575–587
humoral control, 593–597
neural control, 588–593
pulmonary vasomotor reflexes, 590–593
response to efferent nerve stimulation and neurotransmitters, 588–590
role of blood-borne vasoactive substances, 596–597
role of local vasoactive mediators, 594–596
role of respiratory gases, 575–588
Vasopressin
role in regulation of hepatic gluconeogenesis, 176, 220–227
cytoplasmic steps, 223
effects on ions, 223–226
mitochondrial effect, 222–223
Veins
distensibility in essential hypertension, 624–625
Ventilation, mechanical: *see* Respiration, artificial
Vision
visual experience in control of development of neuronal selectivity in cats, 362–374
effects of deprivation of visual experience, 362–364
effects of interocular orientation disparity, 371–372
effects of limited visual experience during avoidance conditioning, 373–374
effects of restrained visual experience stabilized in relation to gravity, 372–373
effects of retarded visual experience, 364–365
effects of visual experience limited to certain orientations, 365–371
epigenetic modifications of cortical distribution of preferred orientations, 365–374
Visual cortex
neuronal selectivity in, development in cats, 325–434
control of development of orientation selectivity by visual experience, 362–374

critical period, 388–394
final state: representation of orientation selectivity in adult CNS, 328–347
gate control by extraretinal factors, 374–388
initial state, 347–362
modifications of functional properties of neurons considered individually, 394–407
Visual pathways
representation of orientation selectivity in adult CNS, 328–347
genesis of orientation selectivity at cortical level, 343–347
lateral geniculate body, 334–335
perceptive neurons or neuronal selectivity? 328–331
retina, 333–334
topographic and nontopographic coding, 331–333
visual cortex, 335–343
Vitamin A
metabolism of, 878–915
absorption, 878–879
homeostasis, 882–887
intracellular transport, 891–899
metabolism for deactivation and elimination and for activation, 903–915
storage, 879–882
transport in plasma, 887–891
turnover and compartmentation, 901–903
multiple functions of, 873–937
action on cell surface, 921–926
function in differentiation through action on cell nucleus, 916–921
function in glycosylation, 926–931
nuclear and extranuclear functions, 915–931
nomenclature and chemical structures of, 874, 875
Vitamin A acid: *see* Tretinoin
Vitamin D
metabolites of, role in control of parathyroid hormone secretion, 1001–1002
Vitamin D_3: *see* Cholecalciferol